


YACHT DAPPER
• CO-ORDINATED •




+27 (64) 834 3079 | info@yachtdapper.com | www.yachtdapper.com



Tape the provided Product Backplate Stencil
to your bulkhead/door's backboard template
SCAN ME FOR
USER MANUAL
Quad Pole Storage Holder (PL-HLD-4)
Centre punch
Proceed to make your drill markings with a
centre punch, then drill working your way up
to a 10mm pilot hole
(recommended bits: no.5, 8, then 10)


Proceed to widen your 10mm pilot hole with our YD Drill Bit
Proceed with our YD Tapping Bit and with light pressure, install your Female clips
Female clips are firmly in place
Your storage holder is ready to be installed



Insert male clips
Into your female clips
installed in bulkhead/door's
backboard template



Install your Storage Holder
PLASTIC/PVC
MARINE PLYWOOD
Into your bulkhead/door's
Backboard Template


Quad Window Squeegee Storage Holder
(WS-HLD-4)


Yacht Dapper Drill Bit
Designed to enlarge your 10mm pilot hole to 16.8mm, this bit creates the perfect opening for fitting Yacht Dapper® Female clips securely into your bulkhead/door's backboard template


Yacht Dapper Tapping Bit
Once the 16.8mm hole is prepared using our Yacht Dapper® Drill bit, use this tapping bit to drive the female clips firmly into place, ensuring a reliable and professional finish


Yacht Dapper® Female Clip
FASTMOUNT.COM
Installed directly into your yacht's bulkhead or door backboard template to connect with the Yacht Dapper® Male clip found on the backplates of all Yacht Dapper® storage holders


Yacht Dapper® Male Clip
Used on the backplates of all Yacht Dapper® storage holders